

=> d his

(FILE 'HOME' ENTERED AT 18:59:32 ON 12 SEP 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 18:59:48 ON 12 SEP 2002

L1 2324 S (DNA OR NUCLEIC(W)ACID OR  
POLYNUCLEOTIDE) (8A) (GLUTAMYL(W)TRAN  
L2 2519017 S DNA OR NUCLEIC(W)ACID OR POLYNUCLEOTIDE  
L3 1162011 S GLUTAMYL(W)TRANSPEPTIDASE OR SUPEROXIDE(W)DISMUTASE OR  
METALL  
L4 6130 S L2(8A)L3  
L5 126587 S ADENVIRUS OR ADENOVIRAL OR LIPOSOME OR LIGAND-DNA  
L6 43 S L4 AND L5  
L7 26 DUP REM L6 (17 DUPLICATES REMOVED)

=> d au ti so 1-26 l7

L7 ANSWER 1 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Zur Megede, Jan; Barnett, Susan W.; Engelbrecht, Susan; Van Rensburg,  
Estrelita Janse  
TI Polynucleotides encoding antigenic HIV type C polypeptides, polypeptides  
and uses thereof  
SO PCT Int. Appl., 233 pp.  
CODEN: PIXXD2

L7 ANSWER 2 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Berlin, Kurt; Piepenbrock, Christian; Olek, Alexander  
TI Detection of variations in the DNA methylation profile of genes in the  
determining the risk of disease  
SO PCT Int. Appl., 636 pp.  
CODEN: PIXXD2

L7 ANSWER 3 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Bennett, Michael J.; Rothman, Stephan S.; Nantz, Michael H.  
TI Method for nucleic acid transfection of cells  
SO PCT Int. Appl., 68 pp.  
CODEN: PIXXD2

L7 ANSWER 4 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Bennett, Michael J.; Rothman, Stephan S.; Nantz, Michael H.  
TI Method for nucleic acid transfection of cells using cationic lipid/DNA  
complex  
SO U.S. Pat. Appl. Publ., 26 pp., Cont.-in-part of U. S. Ser. No. 487,089.  
CODEN: USXXCO

L7 ANSWER 5 OF 26 CAPLUS COPYRIGHT 2002 ACS  
AU Epperly, Michael W.; Gretton, Joan A.; DeFilippi, Stacy J.; Sikora,  
Christine A.; Liggitt, Denny; Koe, Gary; Greenberger, Joel S.  
TI Modulation of radiation-induced cytokine elevation associated with  
esophagitis and esophageal stricture by manganese superoxide  
dismutase-plasmid/**liposome** (SOD2-PL) gene therapy  
SO Radiation Research (2001), 155(1, Pt. 1), 2-14  
CODEN: RAREAE; ISSN: 0033-7587

L7 ANSWER 6 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Lukanidin, Eugene  
TI Therapeutic compositions and methods using Mts-1 protein for enhancing  
angiogenesis

- SO PCT Int. Appl., 41 pp.  
CODEN: PIXXD2
- L7 ANSWER 7 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Barnett, Susan; Zur, Megede Jan  
TI Polynucleotides encoding antigenic HIV type C Gag- and/or Env-containing polypeptides for AIDS vaccine development  
SO PCT Int. Appl., 113 pp.  
CODEN: PIXXD2
- L7 ANSWER 8 OF 26 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
AU Moriscot, C.; Pattou, F.; Kerr-Conte, J.; Richard, M. J.; Lemarchand, P.; Benhamou, P. Y. (1)  
TI Contribution of **adenoviral**-mediated superoxide dismutase gene transfer to the reduction in nitric oxide-induced cytotoxicity on human islets and INS-1 insulin-secreting cells.  
SO Diabetologia, (May, 2000) Vol. 43, No. 5, pp. 625-631. print.  
ISSN: 0012-186X.
- L7 ANSWER 9 OF 26 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
AU Chang, Kyu-Tae; Ikeda, Akihiro; Hayashi, Katsuhiko; Furuhashi, Yasufumi; Bannai, Makoto; Nishihara, Masugi; Ohta, Akihiko; Ogawa, Shyoso; Takahashi, Michio (1)  
TI Possible mechanisms for the testis-mediated gene transfer as a new method for producing transgenic animals.  
SO Journal of Reproduction and Development, (Feb., 1999) Vol. 45, No. 1, pp. 37-42.  
ISSN: 0916-8818.
- L7 ANSWER 10 OF 26 CAPLUS COPYRIGHT 2002 ACS  
AU Chang, Kyu-Tae; Ikeda, Akihiro; Hayashi, Katsuhiko; Furuhashi, Yasufumi; Nishihara, Masugi; Ohta, Akihiko; Ogawa, Shyoso; Takahashi, Michio  
TI Production of transgenic rats and mice by the testis-mediated gene transfer  
SO Journal of Reproduction and Development (1999), 45(1), 29-36  
CODEN: JREDEF; ISSN: 0916-8818
- L7 ANSWER 11 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Gjerset, Ruth A.  
TI Down-regulation of DNA repair to enhance sensitivity to p53-mediated suppression in cancer therapy  
SO PCT Int. Appl., 88 pp.  
CODEN: PIXXD2
- L7 ANSWER 12 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Troy, Carol M.  
TI Peptides and peptidomimetics for prevention of neuronal cell death, and uses thereof  
SO PCT Int. Appl., 111 pp.  
CODEN: PIXXD2
- L7 ANSWER 13 OF 26 MEDLINE DUPLICATE 1  
AU Sawa Y; Kadoba K; Suzuki K; Bai H Z; Kaneda Y; Shirakura R; Matsuda H  
TI Efficient gene transfer method into the whole heart through the coronary artery with hemagglutinating virus of Japan **liposome**.  
SO JOURNAL OF THORACIC AND CARDIOVASCULAR SURGERY, (1997 Mar) 113 (3) 512-8; discussion 518-9.  
Journal code: 0376343. ISSN: 0022-5223.
- L7 ANSWER 14 OF 26 MEDLINE DUPLICATE 2

AU Chao J; Chao L  
 TI Kallikrein gene therapy: a new strategy for hypertensive diseases.  
 SO IMMUNOPHARMACOLOGY, (1997 Jun) 36 (2-3) 229-36.  
 Journal code: 7902474. ISSN: 0162-3109.

L7 ANSWER 15 OF 26 MEDLINE DUPLICATE 3  
 AU Testoni M I; Bolzan A D; Bianchi M S; Bianchi N O  
 TI Effects of antioxidants on streptonigrin-induced DNA damage and  
 clastogenesis in CHO cells.  
 SO MUTATION RESEARCH, (1997 Feb 3) 373 (2) 201-6.  
 Journal code: 0400763. ISSN: 0027-5107.

L7 ANSWER 16 OF 26 CAPLUS COPYRIGHT 2002 ACS  
 AU Tsukiyama, Tadasuke; Shintani, Mami; Ogawa, Shyoso  
 TI Introduction of exogenous gene in mice by injection of DNA-  
**liposome** complex into pronuclei of fertilized ova  
 SO Meiji Daigaku Nogakubu Kenkyu Hokoku (1997), 113, 17-27  
 CODEN: MDNHA3; ISSN: 0465-6083

L7 ANSWER 17 OF 26 MEDLINE DUPLICATE 4  
 AU Walther F J; David-Cu R; Lopez S L  
 TI Antioxidant-surfactant **liposomes** mitigate hyperoxic lung injury  
 in premature rabbits.  
 SO AMERICAN JOURNAL OF PHYSIOLOGY, (1995 Nov) 269 (5 Pt 1) L613-7.  
 Journal code: 0370511. ISSN: 0002-9513.

L7 ANSWER 18 OF 26 SCISEARCH COPYRIGHT 2002 ISI (R)  
 AU WALTHER F J (Reprint); DAVIDCU R; LOPEZ S L  
 TI ANTIOXIDANT SURFACTANT **LIPOSOMES** MITIGATE HYPEROXIC LUNG INJURY  
 IN PREMATURE RABBITS  
 SO AMERICAN JOURNAL OF PHYSIOLOGY-LUNG CELLULAR AND MOLECULAR PHYSIOLOGY,  
 (NOV 1995) Vol. 13, No. 5, pp. L613-L617.  
 ISSN: 1040-0605.

L7 ANSWER 19 OF 26 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 5  
 AU Ogawa, Shyoso; Hayashi, Katsuhiko; Tada, Norihiro; Sato, Masahiro;  
 Kurihara, Takashi; Iwaya, Makoto  
 TI Gene expression in blastocysts following direct injection of DNA into  
 testis  
 SO Journal of Reproduction and Development (1995), 41(4), 379-82  
 CODEN: JREDEF; ISSN: 0916-8818

L7 ANSWER 20 OF 26 CAPLUS COPYRIGHT 2002 ACS  
 AU Onuki, Janice; Medeiros, Marisa H. G.; Bechara, Etelvino J. H.; Di  
 Mascio,  
 Paolo  
 TI 5-Aminolevulinic acid induces single-strand breaks in plasmid pBR322 DNA  
 in the presence of Fe<sup>2+</sup> ions  
 SO Biochim. Biophys. Acta (1994), 1225(3), 259-63  
 CODEN: BBACAQ; ISSN: 0006-3002

L7 ANSWER 21 OF 26 MEDLINE DUPLICATE 6  
 AU Walther F J; David-Cu R; Supnet M C; Longo M L; Fan B R; Bruni R  
 TI Uptake of antioxidants in surfactant **liposomes** by cultured  
 alveolar type II cells is enhanced by SP-A.  
 SO AMERICAN JOURNAL OF PHYSIOLOGY, (1993 Oct) 265 (4 Pt 1) L330-9.  
 Journal code: 0370511. ISSN: 0002-9513.

L7 ANSWER 22 OF 26 MEDLINE DUPLICATE 7  
 AU Sai K; Umemura T; Takagi A; Hasegawa R; Kurokawa Y

TI The protective role of glutathione, cysteine and vitamin C against  
oxidative DNA damage induced in rat kidney by potassium bromate.  
SO JAPANESE JOURNAL OF CANCER RESEARCH, (1992 Jan) 83 (1) 45-51.  
Journal code: 8509412. ISSN: 0910-5050.

L7 ANSWER 23 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Brigham, Kenneth L.  
TI Method of in vivo delivery of functional foreign genes  
SO PCT Int. Appl., 17 pp.  
CODEN: PIXXD2

L7 ANSWER 24 OF 26 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
AU TANSWELL A K; OLSON D M; FREEMAN B A  
TI **LIPOSOME**-MEDIATED AUGMENTATION OF ANTIOXIDANT DEFENSES IN FETAL  
RAT PNEUMOCYTES.  
SO AM J PHYSIOL, (1990) 258 (4 PART 1), L165-L172.  
CODEN: AJPHAP. ISSN: 0002-9513.

L7 ANSWER 25 OF 26 CAPLUS COPYRIGHT 2002 ACS  
IN Awaya, Akira; Kobayashi, Akira; Ishizuka, Yusaku; Abe, Hayao; Nomura,  
Yasuyuki  
TI Nonan peptide thymic serum factor derivatives as antiaging drugs  
SO Jpn. Kokai Tokkyo Koho, 11 pp.  
CODEN: JKXXAF

L7 ANSWER 26 OF 26 CAPLUS COPYRIGHT 2002 ACS  
AU Miroshnichenko, O. I.; Ponomareva, T. I.; Tikhonenko, T. I.  
TI Inhibition of adenovirus 5 replication in COS-1 cells by antisense RNAs  
against the viral Ela region  
SO Gene (1989), 84(1), 83-9  
CODEN: GENED6; ISSN: 0378-1119

=> d bib ab 21-26 17

L7 ANSWER 21 OF 26 MEDLINE DUPLICATE 6  
AN 94056788 MEDLINE  
DN 94056788 PubMed ID: 8238367  
TI Uptake of antioxidants in surfactant **liposomes** by cultured  
alveolar type II cells is enhanced by SP-A.  
AU Walther F J; David-Cu R; Supnet M C; Longo M L; Fan B R; Bruni R  
CS Department of Pediatrics, Drew University College of Medicine, University  
of California, Los Angeles 90024.  
NC GI2 RRO 302607 (NCRR)  
SO AMERICAN JOURNAL OF PHYSIOLOGY, (1993 Oct) 265 (4 Pt 1) L330-9.  
Journal code: 0370511. ISSN: 0002-9513.  
CY United States  
DT Journal; Article; (JOURNAL ARTICLE)  
LA English  
FS Priority Journals  
EM 199312  
ED Entered STN: 19940117  
Last Updated on STN: 19960129  
Entered Medline: 19931203  
AB Antioxidant delivery may be targeted toward the alveolar epithelium by  
encapsulating superoxide dismutase (SOD) and catalase in **liposomes**  
made from pulmonary surfactant. We studied whether antioxidant-surfactant  
**liposomes** increase cellular antioxidant activity in alveolar type  
II cells and whether this effect is influenced by the presence of  
surfactant protein A (SP-A). Cu,Zn SOD and catalase were encapsulated in

**liposomes** made from synthetic phospholipids with or without 5% SP-A or from natural cow surfactant. Alveolar type II cells from adult rats were preincubated for 20 h, and **liposome** mixtures were added for 24 h, followed by measurement of cellular SOD and catalase activities (U/mg DNA). Antioxidant-surfactant **liposomes** increased alveolar type II cell antioxidant activity sharply. Uptake of SOD/catalase from **liposomes** with synthetic phospholipids and SP-A was twice that from **liposomes** without SP-A and did not further improve in the presence of SP-B and -C. Encapsulation of antioxidants diminished the surface activity of the surfactant **liposomes**, but this feature was absent in the presence of SP-A. These data suggest that: 1) antioxidant-surfactant **liposomes** augment alveolar type II cell antioxidant activity, 2) liposomal uptake is facilitated by the presence of SP-A, and 3) inhibition of surface activity of surfactant by encapsulated antioxidants can be reversed by SP-A.

L7 ANSWER 22 OF 26 MEDLINE DUPLICATE 7  
 AN 92184669 MEDLINE  
 DN 92184669 PubMed ID: 1544873  
 TI The protective role of glutathione, cysteine and vitamin C against oxidative DNA damage induced in rat kidney by potassium bromate.  
 AU Sai K; Umemura T; Takagi A; Hasegawa R; Kurokawa Y  
 CS Division of Toxicology, National Institute of Hygienic Sciences, Tokyo.  
 SO JAPANESE JOURNAL OF CANCER RESEARCH, (1992 Jan) 83 (1) 45-51.  
 Journal code: 8509412. ISSN: 0910-5050.  
 CY Japan  
 DT Journal; Article; (JOURNAL ARTICLE)  
 LA English  
 FS Priority Journals  
 EM 199204  
 ED Entered STN: 19920424  
 Last Updated on STN: 20000303  
 Entered Medline: 19920410  
 AB The roles of glutathione (GSH), cysteine, vitamin C, **liposome** -encapsulated **superoxide dismutase** (L-SOD) and vitamin E in preventing oxidative DNA damage and cytotoxicity in the rat kidney after administration of potassium bromate (KBrO3) to male F344 rats were investigated by measuring 8-hydroxydeoxyguanosine (8-OH-dG), an oxidative DNA product, lipid peroxidation (LPO) levels and relative kidney weight (RKW). Combined pre- and posttreatment of animals with 2 x 800 mg/kg GSH i.p. inhibited the increase of 8-OH-dG, LPO levels and RKW caused by 80 mg/kg KBrO3 i.p. administration. In contrast, pretreatment with 0.3 ml/kg diethylmaleate (DEM) i.p., a depletor of tissue GSH, was associated with elevation of 8-OH-dG, LPO levels and RKW after a 20 mg/kg KBrO3 i.p. treatment, which itself caused no change. Administration of KBrO3 itself reduced renal non-protein thiol levels, but this was inhibited by the two doses of exogenous GSH. Combined treatment with DEM and KBrO3 lowered the non-protein thiol level in the kidney more than did DEM treatment alone. Protective effects against the oxidative damage caused by KBrO3 were also observed for pre- and posttreatment with 400 mg/kg cysteine i.p., another sulfhydryl compound, and daily i.g. application of 200 mg/kg vitamin C for 5 days. However, no influence was evident after pre- and posttreatment with 18,000 U/kg L-SOD i.p. or daily i.g. 100 mg/kg of vitamin E for 5 days. The results suggest that intracellular GSH plays an essential protective role against renal oxidative DNA damage and nephrotoxicity caused by KBrO3.

L7 ANSWER 23 OF 26 CAPLUS COPYRIGHT 2002 ACS  
 AN 1991:443554 CAPLUS  
 DN 115:43554  
 TI Method of in vivo delivery of functional foreign genes  
 IN Brigham, Kenneth L.  
 PA Vanderbilt University, USA  
 SO PCT Int. Appl., 17 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

|      | PATENT NO.  | KIND | DATE     | APPLICATION NO. | DATE     |
|------|---|------|----------|-----------------|----------|
| PI   | WO 9106309  | A1   | 19910516 | WO 1990-US5993  | 19901018 |
|      | W: AU, CA, JP   |      |          |                 |          |
|      | RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LU, NL, SE    |      |          |                 |          |
|      | CA 2044593  | AA   | 19910504 | CA 1990 2044593 | 19901018 |
|      | AU 9066456  | A1   | 19910531 | AU 1990-66456   | 19901018 |
|      | AU 625013   | B2   | 19920625 |                 |          |
|      | EP 452457   | A1   | 19911023 | EP 1990-916560  | 19901018 |
|      | EP 452457   | B1   | 19970820 |                 |          |
|      | R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE |      |          |                 |          |
|      | JP 04502772   | T2   | 19920521 | JP 1990-515602  | 19901018 |
|      | JP 3056782  | B2   | 20000626 |                 |          |
|      | AT 157012   | E    | 19970915 | AT 1990-916560  | 19901018 |
|      | EP 800830   | A2   | 19971015 | EP 1997-107677  | 19901018 |
|      | EP 800830   | A3   | 19990317 |                 |          |
|      | R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE |      |          |                 |          |
|      | US 5676954  | A    | 19971014 | US 1995-437213  | 19950508 |
| PRAI | US 1989-431552  | A    | 19891103 |                 |          |
|      | EP 1990-916560  | A3   | 19901018 |                 |          |
|      | WO 1990-US5993  | A    | 19901018 |                 |          |
|      | US 1991-678027  | A1   | 19910401 |                 |          |
|      | US 1992-919083  | A1   | 19920723 |                 |          |

AB A method of expressing a foreign gene in cells of a mammalian organ in vivo involves injecting the gene in a cationic **liposome** into the mammal and activating gene expression. Mice were injected i.v. with a chimeric mouse metallothionein promoter-human somatotropin gene complexed with Lipofection.RTM.. The mice were given 5000 ppm ZnSO4 in their drinking water. Somatotropin was produced in the lungs, but not in the kidneys or liver. Peak gene expression occurred 3 days post transfection.

L7 ANSWER 24 OF 26 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
 AN 1990:314716 BIOSIS  
 DN BA90:33683  
 TI **LIPOSOME**-MEDIATED AUGMENTATION OF ANTIOXIDANT DEFENSES IN FETAL RAT PNEUMOCYTES.  
 AU TANSWELL A K; OLSON D M; FREEMAN B A  
 CS DIV. NEONATOL., HOSP. SICK CHILD., 555 UNIVERSITY AVE., TORONTO, ONT. M5G 1XG, CAN.  
 SO AM J PHYSIOL, (1990) 258 (4 PART 1), L165-L172.  
 CODEN: AJPHAP. ISSN: 0002-9513.  
 FS BA; OLD  
 LA English  
 AB Cultured pneumocytes, prepared from fetal rat lung, are growth inhibited and have increased lactate dehydrogenase release and prostaglandin synthesis in response to 50 and 95% O2 exposure. The uptake of cationic **liposomes** by these fetal cells is more rapid and extensive than is

the case with cultured adult pneumocytes. Protection of fetal pneumocytes against the cytotoxic effects of 50 ro 95% O2 by **liposome** -entrapped antioxidant enzymes requires a **liposome** phospholipid concentration of only 1 nmol/cm2, compared with 45 nmol/cm2 for adult cells, which is a cytotoxic phospholipid concentration for the fetal cells. Despite this capacity of low concentrations of **liposomes** containing superoxide dismutase and catalase to increase endogenous antioxidant enzyme content, and to protect against cell death, such treatment does not attenuate O2-mediated alterations of cell growth or prostaglandin release. Inhibition of pneumocyte DNA synthesis, by elevated

O2 concentrations, cannot be attributed to an autocrine effect of enhanced prostaglandin synthesis, because the addition of 50 .mu.M ibuprofen to inhibit prostaglandin synthesis does not prevent O2-mediated effects on DNA synthesis.

L7 ANSWER 25 OF 26 CAPLUS COPYRIGHT 2002 ACS

AN 1990:546032 CAPLUS

DN 113:146032

TI Nonan peptide thymic serum factor derivatives as antiaging drugs

IN Awaya, Akira; Kobayashi, Akira; Ishizuka, Yusaku; Abe, Hayao; Nomura, Yasuyuki

PA Mitsui Toatsu Chemicals, Inc., Japan; Mitsui Pharmaceuticals, Inc.

SO Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

|    | PATENT NO.  | KIND | DATE     | APPLICATION NO. | DATE     |
|----|-------------|------|----------|-----------------|----------|
| PI | JP 01316328 | A2   | 19891221 | JP 1988-145812  | 19880615 |

AB The nonan peptide thymic serum factor

pGlu-Ala-Lys-Ser-Gln-Gly-Gly-Ser-Asn

(I) and its esters or amides (from the carboxyl group of terminal asparagine) or their salts can be formulated as any dosage forms (e.g. injections, **liposomes**, eye drops, suppositories, nasal spray, etc.) to prevent aging and to reactivate cell function. The antiaging effects (including organ **superoxide dismutase** and monoamine oxidase activities and protein, **DNA**, and RNA contents) of I were tested in senescence-accelerated mice. No toxicity was noted

in rats following s.c. injection of I at 30 mg/kg/day for 21 days.

L7 ANSWER 26 OF 26 CAPLUS COPYRIGHT 2002 ACS

AN 1990:92752 CAPLUS

DN 112:92752

TI Inhibition of adenovirus 5 replication in COS-1 cells by antisense RNAs against the viral E1a region

AU Miroshnichenko, O. I.; Ponomareva, T. I.; Tikhonenko, T. I.

CS Inst. Agric. Biotechnol., Moscow, 127253, USSR

SO Gene (1989), 84(1), 83-9

CODEN: GENED6; ISSN: 0378-1119

DT Journal

LA English

AB To study the effect of antisense E1a RNA (asRNA) on adenovirus development, 2 types of adenovirus 5 E1a antisense constructs were engineered. One was complementary to the viral **DNA** region (nt positions 500-720) regulated by the **metallothionein-I** promoter, and the other was complementary to the DNA regions (nt positions

630-1570)

under control of the long terminal repeat Moloney mouse leukemia virus promoter. Both asRNA constructs were cloned into a plasmid containing the simian virus 40 origin of replication, the gene controlling geneticin (G418) resistance (G418R), and other regulatory elements. The COS-1 cells, which contained up to 100 copies of the engineered plasmids, synthesized antiviral asRNAs, which provided 71 to over 95% inhibition of **adenoviral** replication, in comparison to the control cells.

=>



=> d his

(FILE 'HOME' ENTERED AT 18:59:32 ON 12 SEP 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 18:59:48 ON 12 SEP 2002

L1 2324 S (DNA OR NUCLEIC(W)ACID OR  
POLYNUCLEOTIDE) (8A) (GLUTAMYL(W)TRAN  
L2 2519017 S DNA OR NUCLEIC(W)ACID OR POLYNUCLEOTIDE  
L3 1162011 S GLUTAMYL(W)TRANSPEPTIDASE OR SUPEROXIDE(W)DISMUTASE OR  
METALL  
L4 6130 S L2(8A)L3  
L5 126587 S ADENVIRUS OR ADENOVIRAL OR LIPOSOME OR LIGAND-DNA  
L6 43 S L4 AND L5  
L7 26 DUP REM L6 (17 DUPLICATES REMOVED)  
L8 3948 S L2(3A)L3  
L9 1028 S (DNA OR NUCLEIC(W)ACID OR  
POLYNUCLEOTIDE) (3A) (GLUTAMYL(W)TRAN  
L10 668 DUP REM L9 (360 DUPLICATES REMOVED)  
L11 356825 S (TRANSFECT? OR TRANSFORM?)(5A)CELL  
L12 47 S L10 AND L11  
L13 47 DUP REM L12 (0 DUPLICATES REMOVED)  
L14 1852 S CDNA(6A)L3  
L15 1307 S CDNA(3A)L3  
L16 202 S L15 AND L11  
L17 81 DUP REM L16 (121 DUPLICATES REMOVED)

=> d au ti so 50-81 l17

L17 ANSWER 50 OF 81 MEDLINE DUPLICATE 31  
AU Tamura T; McMicken H W; Smith C V; Hansen T N  
TI Mitochondrial targeting of glutathione reductase requires a leader  
sequence.  
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (1996 May 24) 222  
(3)  
659-63.  
Journal code: 0372516. ISSN: 0006-291X.

L17 ANSWER 51 OF 81 MEDLINE DUPLICATE 32  
AU Negita M; Hayashi S; Yokoyama I; Emi N; Nagasaka T; Takagi H  
TI Human **superoxide dismutase cDNA** transfection  
and its in vitro effect on cold preservation.  
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (1996 Jan 26) 218  
(3)  
653-7.  
Journal code: 0372516. ISSN: 0006-291X.

L17 ANSWER 52 OF 81 MEDLINE DUPLICATE 33  
AU Komada F; Nishiguchi K; Tanigawara Y; Akamatsu T; Wu X Y; Iwakawa S;  
Okumura K  
TI Effect of transfection with superoxide dismutase expression plasmid on  
superoxide anion induced cytotoxicity in cultured rat lung cells.  
SO BIOLOGICAL AND PHARMACEUTICAL BULLETIN, (1996 Feb) 19 (2) 274-9.  
Journal code: 9311984. ISSN: 0918-6158.

L17 ANSWER 53 OF 81 CAPLUS COPYRIGHT 2002 ACS  
AU Tsunetzuka, Yoshio  
TI Acceleration of invasion and metastasis in cancer **cells**  
**transfected** with **MT-MMP cDNA**

- SO Kanazawa Daigaku Juzen Igakkai Zasshi (1996), 105(2), 272-286  
CODEN: JUZIAG; ISSN: 0022-7226
- L17 ANSWER 54 OF 81 CAPLUS COPYRIGHT 2002 ACS  
AU Saitoh, Naoto; Sasagawa, Noboru; Koike, Hisashi; Shimokawa, Masatake;  
Sorimachi, Hiroyuki; Ishiura, Shoichi; Suzuki, Koichi  
TI Immunocytochemical localization of a full-length myotonin protein kinase  
in rat L6 myoblasts  
SO Neuroscience Letters (1996), 218(3), 214-216  
CODEN: NELED5; ISSN: 0304-3940
- L17 ANSWER 55 OF 81 MEDLINE DUPLICATE 34  
AU Atkinson S J; Crabbe T; Cowell S; Ward R V; Butler M J; Sato H; Seiki M;  
Reynolds J J; Murphy G  
TI Intermolecular autolytic cleavage can contribute to the activation of  
progelatinase A by cell membranes.  
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1995 Dec 22) 270 (51) 30479-85.  
Journal code: 2985121R. ISSN: 0021-9258.
- L17 ANSWER 56 OF 81 MEDLINE DUPLICATE 35  
AU Takino T; Sato H; Shinagawa A; Seiki M  
TI Identification of the second membrane-type matrix metalloproteinase  
(MT-MMP-2) gene from a human placenta **cdna** library. **MT**  
-MMPs form a unique membrane-type subclass in the MMP family.  
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (1995 Sep 29) 270 (39) 23013-20.  
Journal code: 2985121R. ISSN: 0021-9258.
- L17 ANSWER 57 OF 81 MEDLINE DUPLICATE 36  
AU Urano M; Kuroda M; Reynolds R; Oberley T D; St Clair D K  
TI Expression of manganese superoxide dismutase reduces tumor control  
radiation dose: gene-radiotherapy.  
SO CANCER RESEARCH, (1995 Jun 15) 55 (12) 2490-3.  
Journal code: 2984705R. ISSN: 0008-5472.
- L17 ANSWER 58 OF 81 MEDLINE DUPLICATE 37  
AU Li J J; Oberley L W; St Clair D K; Ridnour L A; Oberley T D  
TI Phenotypic changes induced in human breast cancer cells by overexpression  
of manganese-containing superoxide dismutase.  
SO ONCOGENE, (1995 May 18) 10 (10) 1989-2000.  
Journal code: 8711562. ISSN: 0950-9232.
- L17 ANSWER 59 OF 81 MEDLINE DUPLICATE 38  
AU Odawara F; Kurasaki M; Suzuki-Kurasaki M; Oikawa S; Emoto T; Yamasaki F;  
Linde Arias A R; Kojima Y  
TI Expression of human metallothionein-2 in Escherichia coli: cadmium  
tolerance of **transformed cells**.  
SO JOURNAL OF BIOCHEMISTRY, (1995 Dec) 118 (6) 1131-7.  
Journal code: 0376600. ISSN: 0021-924X.
- L17 ANSWER 60 OF 81 CAPLUS COPYRIGHT 2002 ACS  
IN Kretschmer, Axel; Antonicek, Hortst Peter; Baumgarten, Joerg;  
Loebberding,  
Antonius; Mielke, Burkhard; Springer, Wolfgang; Stropp, Udo; Struck, Mark  
Michael; Biesert, Lothar; et al.  
TI Antisense expression vectors and their use in preparation of  
HIV-resistant  
animal cells for therapeutic uses  
SO Ger. Offen., 15 pp.  
CODEN: GWXXBX

- L17 ANSWER 61 OF 81 MEDLINE DUPLICATE 39  
 AU Deng G; Podack E R  
 TI Suppression of apoptosis in a cytotoxic T-cell line by interleukin 2-mediated gene transcription and deregulated expression of the protooncogene bcl-2.  
 SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1993 Mar 15) 90 (6) 2189-93.  
 Journal code: 7505876. ISSN: 0027-8424.
- L17 ANSWER 62 OF 81 MEDLINE DUPLICATE 40  
 AU Warner B; Papes R; Heile M; Spitz D; Wispe J  
 TI Expression of human Mn SOD in Chinese hamster ovary cells confers protection from oxidant injury.  
 SO AMERICAN JOURNAL OF PHYSIOLOGY, (1993 Jun) 264 (6 Pt 1) L598-605.  
 Journal code: 0370511. ISSN: 0002-9513.
- L17 ANSWER 63 OF 81 SCISEARCH COPYRIGHT 2002 ISI (R)  
 AU BRANCH M (Reprint); BERRY L C; CONARY J T; YOSHIOKA T; BRIGHAM K L; MEVRICK B  
 TI RESPONSE OF BOVINE PULMONARY-ARTERY ENDOTHELIAL-CELLS (BPAEC) TO ENDOTOXIN FOLLOWING **TRANSFECTION** OF THE HUMAN MANGANOUS **SUPEROXIDE-DISMUTASE** (MNSOD) **CDNA**  
 SO AMERICAN REVIEW OF RESPIRATORY DISEASE, (APR 1993) Vol. 147, No. 4, Supp. S, pp. A206.  
 ISSN: 0003-0805.
- L17 ANSWER 64 OF 81 MEDLINE DUPLICATE 41  
 AU Chubatsu L S; Meneghini R  
 TI Metallothionein protects DNA from oxidative damage.  
 SO BIOCHEMICAL JOURNAL, (1993 Apr 1) 291 ( Pt 1) 193-8.  
 Journal code: 2984726R. ISSN: 0264-6021.
- L17 ANSWER 65 OF 81 MEDLINE DUPLICATE 42  
 AU Koropatnick J; Pearson J  
 TI Altered cisplatin and cadmium resistance and cell survival in Chinese hamster ovary cells expressing mouse metallothionein.  
 SO MOLECULAR PHARMACOLOGY, (1993 Jul) 44 (1) 44-50.  
 Journal code: 0035623. ISSN: 0026-895X.
- L17 ANSWER 66 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Amstad, Paul; Peskin, A.; Shah, Girish; Mirault, Marc Edouard; Moret, Remy; Zbinden, Irene; Cerutti, Peter  
 TI The balance between copper-zinc superoxide dismutase and catalase affects the sensitivity of mouse epidermal cells to oxidative stress  
 SO Biochemistry (1991), 30(38), 9305-13  
 CODEN: BICHAW; ISSN: 0006-2960
- L17 ANSWER 67 OF 81 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
 AU PESKIN A V; AMSTAD P; CERUTTI P A  
 TI **TRANSFECTION** EPIDERMAL MOUSE **CELLS** WITH HUMAN **SUPEROXIDE DISMUTASE CDNA** CHANGES THEIR GROWTH RATE.  
 SO MEETING ON SIGNAL MOLECULES AND CELL DIFFERENTIATION HELD AT THE SOVIET-FINNISH SYMPOSIUM ON DEVELOPMENTAL BIOLOGY, SUZDAL', RUSSIAN SFSR, USSR, SEPTEMBER 16-20, 1991. ONTOGENEZ. (1991) 22 (4), 402.  
 CODEN: ONGZAC. ISSN: 0475-1450.
- L17 ANSWER 68 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 IN Shoemaker, Hubert J. P.; Ghayeb, John; Sun, Lee K.  
 TI Chimeric proteins incorporating a metal binding protein, their labeling,

- and their use in diagnosis and therapy  
 SO PCT Int. Appl., 31 pp.  
 CODEN: PIXXD2
- L17 ANSWER 69 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 IN Williams, Mark Edward; Murphy, Michael Francis  
 TI Bovine metallothionein promoter and its use for recombinant gene  
 expression in eukaryotic cells  
 SO Eur. Pat. Appl., 29 pp.  
 CODEN: EPXXDW
- L17 ANSWER 70 OF 81 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.  
 AU BEAUDRY G A; MEHTA N M; RAY M L; BERTELSEN A H  
 TI PURIFICATION AND CHARACTERIZATION OF FUNCTIONAL RECOMBINANT ALPHA  
 AMIDATING ENZYME SECRETED FROM MAMMALIAN CELLS.  
 SO J BIOL CHEM, (1990) 265 (29), 17694-17699.  
 CODEN: JBCHA3. ISSN: 0021-9258.
- L17 ANSWER 71 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Gedamu, Lashitew; Olsson, Per Eric; Zafarullah, Muhammad  
 TI Regulation of rainbow trout metallothionein genes  
 SO UCLA Symp. Mol. Cell. Biol., New Ser. (1990), 116(Transgenic Models Med.  
 Agric.), 101-8  
 CODEN: USMBD6; ISSN: 0735-9543
- L17 ANSWER 72 OF 81 MEDLINE DUPLICATE 43  
 AU Norris K H; Hornsby P J  
 TI Cytotoxic effects of expression of human superoxide dismutase in bovine  
 adrenocortical cells.  
 SO MUTATION RESEARCH, (1990 Mar) 237 (2) 95-106.  
 Journal code: 0400763. ISSN: 0027-5107.
- L17 ANSWER 73 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Marklund, Stefan L.; Tibell, Lena; Hjalmarsson, Karin; Skogman, Gunnar;  
 Engstroem, Aake; Edlund, Thomas  
 TI Sequence of complementary DNA encoding human extracellular superoxide  
 dismutase and production of recombinant enzyme  
 SO Basic Life Sci. (1988), 49(Oxygen Radicals Biol. Med.), 683-7  
 CODEN: BLFSBY; ISSN: 0090-5542
- L17 ANSWER 74 OF 81 MEDLINE DUPLICATE 44  
 AU Reinholdsson G; Ramqvist T; Brandberg J; Dalianis T  
 TI A polyomavirus tumor-specific transplantation antigen (TSTA) epitope is  
 situated within the N-terminal amino acid sequence common to middle and  
 small T-antigens.  
 SO VIROLOGY, (1988 Oct) 166 (2) 616-9.  
 Journal code: 0110674. ISSN: 0042-6822.
- L17 ANSWER 75 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Tibell, Lena; Hjalmarsson, Karin; Edlund, Thomas; Skogman, Gunnar;  
 Engstroem, Aake; Aasa, Roland; Marklund, Stefan  
 TI Cloning and characterization of human EC-SOD. A comparison of native and  
 recombinant forms  
 SO UCLA Symp. Mol. Cell. Biol., New Ser. (1988), 82(Oxy-Radicals Mol. Biol.  
 Pathol.), 233-45  
 CODEN: USMBD6; ISSN: 0735-9543
- L17 ANSWER 76 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Ceballos, I.; Delabar, J. M.; Nicole, A.; Lynch, R. E.; Hallewell, R. A.;  
 Kamoun, P.; Sinet, P. M.

TI Expression of transfected human copper-zinc superoxide dimutase gene in mouse L cells and NS20Y neuroblastoma cells induces enhancement of glutathione peroxidase activity  
 SO Biochim. Biophys. Acta (1988), 949(1), 58-64  
 CODEN: BBACAQ; ISSN: 0006-3002

L17 ANSWER 77 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 AU Tibell, Lena; Hjalmarsson, Karin; Edlund, Thomas; Skogman, Gunnar; Engstroem, Aake; Marklund, Stefan L.  
 TI Expression of human extracellular superoxide dismutase in Chinese hamster ovary cells and characterization of the product  
 SO Proc. Natl. Acad. Sci. U. S. A. (1987), 84(19), 6634-8  
 CODEN: PNASA6; ISSN: 0027-8424

L17 ANSWER 78 OF 81 MEDLINE  
 AU Lee J C; Rebar L; Young P; Ruscetti F W; Hanna N; Poste G  
 TI Identification and characterization of a human T cell line-derived lymphokine with MAF-like activity distinct from interferon-gamma.  
 SO JOURNAL OF IMMUNOLOGY, (1986 Feb 15) 136 (4) 1322-8.  
 Journal code: 2985117R. ISSN: 0022-1767.

L17 ANSWER 79 OF 81 MEDLINE DUPLICATE 45  
 AU Elroy-Stein O; Bernstein Y; Groner Y  
 TI Overproduction of human Cu/Zn-superoxide dismutase in **transfected cells**: extenuation of paraquat-mediated cytotoxicity and enhancement of lipid peroxidation.  
 SO EMBO JOURNAL, (1986 Mar) 5 (3) 615-22.  
 Journal code: 8208664. ISSN: 0261-4189.

L17 ANSWER 80 OF 81 MEDLINE  
 AU Dalianis T; Ramqvist T; Klein G  
 TI Studies on the polyoma-virus-induced tumor-specific transplantation antigen (TSTA)--does middle or large T-antigen play a role?.  
 SO INTERNATIONAL JOURNAL OF CANCER, (1984 Sep 15) 34 (3) 403-6.  
 Journal code: 0042124. ISSN: 0020-7136.

L17 ANSWER 81 OF 81 CAPLUS COPYRIGHT 2002 ACS  
 IN Baxter, John D.; Karin, Michael  
 TI Plasmids and cells for heterologous expression of metallothioneins  
 SO Eur. Pat. Appl., 12 pp.  
 CODEN: EPXXDW

=> d ab 79 117

L17 ANSWER 79 OF 81 MEDLINE DUPLICATE 45  
 AB The 'housekeeping' enzyme Cu/Zn-superoxide dismutase (SOD-1) is encoded by  
 a gene residing on human chromosome 21, at the region 21q22 known to be involved in Down's syndrome. The SOD-1 gene and the **SOD-1 cDNA** were introduced into mouse L-cells and human HeLa cells, respectively as part of recombinant plasmids containing the neoR selectable marker. Human and mouse transformants were obtained that expressed elevated levels (up to 6-fold) of authentic, enzymatically active human SOD-1. This enabled us to examine the consequences of hSOD-1 gene dosage, apart from gene dosage effects contributed by other genes residing on chromosome 21. Human and mouse cell clones that overproduce the hSOD-1 had altered properties; they were more resistant to paraquat than the parental cells and showed an increase in lipid peroxidation. The data are consistent with the possibility that gene dosage of hSOD-1

contributes to some of the clinical symptoms associated with Down's syndrome.

=>